

VoIP V3 Outdoor Intercom

Newly designed with a faster processor allowing for more capabilities, and increased IP rating for weather protection, the CyberData SIP-enabled VoIP V3 Outdoor Intercom is perfect for settings requiring two-way communication and secure access. The new Weather Shroud (pictured) can be purchased separately for even greater weather protection.

The redesigned case is more secure and has a more streamlined look with increased tamper resistance. One of our most popular devices, the v3 Outdoor Intercom has been installed in nursing care facilities, schools and universities, daycare facilities, retail establishments, highway tolls, and more, proving this device is truly a versatile, cost-efficient alternative to old analog intercoms.

New Features include:

- Faster V3 processor
- Increased IP RATING to IP65
- Now supports SRST (Survivable Remote Site Telephony)
- New streamlined case design
- Optional Weather Shroud (pictured) for even greater weather protection

Features

- PoE 802.3af enabled (Powered-over-Ethernet)
- SIP compliant
- Adaptive full-duplex voice operation
- Network web management
- Network adjustable speaker volume and microphone sensitivity
- Network downloadable firmware
- Doubles as a paging speaker
- Dry relay contact for auxiliary control (controls external power)
- Peer-to-peer capable
- Door closure and tamper alert signal

The following Intercom models are also available:



V3 Indoor Intercom
#011211



V3 Emergency Intercom
#011209



V2 Indoor Keypad Intercom
#011113



V3 Outdoor Keypad Intercom
#011214



*Shown with the 011188 Weather Shroud (sold separately)


Specifications

Ethernet I/F	10/100 Mbps
Protocol	SIP RFC 3261 Compatible
Power Input	PoE 802.3af compliant or +12 to +24 VDC at 1000 mA (500 mA minimum)
Operating Temperature	-30 to 55 C (-22 to 131 F)
Payload Types	G711, A-law and μ -law
Regulatory Compliance	FCC Class A, UL 60950
Dimensions	5" x 5" x 2.5" (H x W x D)
Warranty	2 years limited
Boxed Weight	2.0 lbs.
Part Number	011186* 011188 Weather Shroud (sold separately)


*This number replaces the 010935 number.

VoIP V3 Outdoor Intercom


Mounting



Conduit Mounting



Gooseneck Mounting



VoIP V3 Outdoor Intercom

